

**Tableau de rechargement
6,35 Browning (25 Auto) (25 ACP)**

PROJECTILE BULLET			ETUI CASE	AMORCAGE PRIMER	POUDRE/POWDER VECTAN			VITESSE 2,5 m VELOCITY		PRESSION PRESSURE		NORMES CIP	
TYPE	POIDS/weight				TYPE	CHARGE		m/s	f/s	bars	psi	LONGUEUR	PRESSION Crusher
	Grammes	grains				Grammes	grains					Maxi Etui en mm	Maxi en bars
Homady FMJ-RN	3.24	50.0	Hirtenberger	CCI 500	A1	0.08	1.2	155.0	508.0	960	13920	15.55	1300
Lynx coulT HR-NP 635	3.30	51.0	Hirtenberger	CCI 500	Ba 10	0.04	.6	165.0	541.0	1220	17700	15.55	1300
Lynx coulÈ HR-NP 635	3.30	51.0	Hirtenberger	CCI 500	AS	0.05	.8	165.0	541.0	880	12800	15.55	1300
Lynx coulT HR-NP 635	3.30	51.0	Hirtenberger	CCI 500	A1	0.08	1.2	185.0	606.0	800	11600	15.55	1300